

GYM EQUIPMENT



**LOLIMPIN**

SINCE 1986



[www.lolimpin.com](http://www.lolimpin.com)

# Lolimpin Gym Equipment - Since 1986

Manufacturers of Indoor/Outdoor Gymnasium & Sports Equipment .

A Family Owned and Operated Canadian Company .



Serving schools and sports facilities across Canada for over 18 years .

All equipment is manufactured in our Concord, Ontario facility under strict quality control from the raw materials purchasing stage, through to the finishing and packaging stage .

Our products are manufactured in accordance to National & International Specifications, and distributed through out Canada .

All welding is conducted in accordance to the Canadian Welding Bureau, implementing the highest standards with - in the welding industry .

Our planning stage consulting service is available for customers planning a facility in the future! We will be happy to assist you in the pre-planning of your intended gymnasium to achieve the maximum function of your facility .

Needs will be evaluated, and specific products will be recommended for the full and proper use .

We can not stress the importance of a well planned facility for maximum functionality .

You can reach us at: 905 - 669 - 5365 or Toll Free at: 1-800 - 559 - 5562

Our Fax line can be reached at: 905 - 669 - 9691 24hrs a day .

E-mail [joe@lolimpin .com](mailto:joe@lolimpin.com)

Visit us online at [www .lolimpin .com](http://www.lolimpin.com)



**PROJECT:**  
**BROCK UNIVERSITY**  
**ST. CATHARINES, ONTARIO**



**PROJECT:**  
**RIM PARK**  
**WATERLOO, ONTARIO**



# TABLE OF CONTENTS

<b>Badminton Posts</b> .....	32	<b>Partitions</b> .....	37
Nets .....	35	<b>Peg Boards</b> .....	23
<b>Balance Beams</b> .....	41	<b>Referee Stand</b> .....	33
<b>Ball Carriers</b> .....	22	<b>Rope Tracks</b> .....	23
<b>Basketball</b>		<b>Scooter Boards</b> .....	42
Aut- O- Loc Safety Strap .....	5	<b>Score Boards</b> .....	42
Backboard .....	8,9	<b>Shelving</b> .....	37
Ceiling Mounted Units .....	4,5	<b>Soccer Goals, Nets</b> .....	18 20
Cushion Edge Padding.....	12	<b>Storage Room Hooks</b> .....	36
Outdoor Posts.....	13,14	<b>Team Handball Goals, Nets</b> .....	21
Rims .....	10,11	<b>Tennis Posts, Nets</b> .....	15
Wall Units .....	6,7	<b>Tetherball Posts, Balls</b> .....	15
Winches .....	12	<b>Track &amp; Field</b>	
<b>Benches</b>		Curved Toe Board .....	17
Aluminum .....	24	Discus Circle .....	17
Plastic .....	24	High Jump Standards .....	17
Wood .....	25	Pole Vault.....	17
<b>Bike Racks</b> .....	16	Shot Put Circle .....	17
<b>Bleachers</b> .....	24	Take Off Board .....	17
<b>Boxing</b> .....	39,40	<b>Trampolines</b> .....	38
<b>Chin- Up Bars</b> .....	23	<b>Triple Hoop</b> .....	14
<b>Climbing Ropes</b> .....	23	<b>Sockets</b>	
<b>Field Hockey Goals, Nets</b> .....	21	Floor .....	34
<b>Floor Hockey Goals, Nets</b> .....	21	Outdoor .....	15
<b>Floor Sockets</b> .....	34	<b>Vaulting Boxes</b> .....	41
<b>Football Goals, Pads</b> .....	19	<b>Volleyball</b>	
<b>Mats</b>		Indoor .....	30,32,33
Crash Pits.....	27	Nets .....	35
Exercise Mats .....	26	Outdoor Posts.....	15
Wall Mats .....	29	Pads.....	31,33
Mat Hangers .....	29	Referee Stand .....	33
Mat Trucks .....	22	Storage Racks.....	37

# BASKETBALL

## LO-B8 'V' STYLE CEILING SUSPENDED BASKETBALL UNIT

"V" style full frame ceiling suspended basketball unit was designed for the ultimate rigidity .

Suspended unit is used in areas where wall mounted units can not be used, due to lack of wall space, over bleachers, in front of stages or mezzanines . Especially designed for center of double gym where there is sufficient ceiling space (minimum distance required behind the basket for mounting) .

LO-B8 frames are manufactured from 2" x .125 wall square steel tubing completely welded. Formed steel beam clamps can be manufactured to allow installation on any type of beam, open web steel joist, 'I' beams, wood or cement beams, etc. Clamps will suspend the 3- 1/2" x 0.125 wall round header pipes for unit installation . All swivel parts come with clevis pins installed. All pulleys used are manufactured from solid steel with brass bushings . 1/4" air craft cable is used to fold unit into the ceiling with your choice of manual or electric winch . All drops are specifically manufactured for each job to suspend an official goal at 10' from finished floor in the open position . Custom drops can be made to suspend cross pipes below any obstructions, e.g. ventilation, dust work, lights, etc. Frames are manufactured 35" c.t.c. and 63" c.t.c. for rectangular glass backboards . Backboards, rims, and winches sold separately . Standard frame color is black, custom colors available .

LO-B8 "V" style basketball unit .

LO-B79 Aut-O-Loc are recommended on all vertical folding units .



LO-B8 installed on a 20' ceiling height .



LO-B8 32' ceiling height

# BASKETBALL



Rim- Park, Waterloo, Ontario



Custom Ceiling Bracing for Single Mast Unit 2 different beam heights, avoiding lights. Installed at Woodbridge College



Markham District High School


## LO-B10 SINGLE MAST BASKETBALL UNIT

Sleek design incorporated with ease of use and safety is how this basketball unit was created. The single mast offers a sleek yet heavy duty look without having a clutter of frames. Very heavy duty swivels combined with less number of swivels, offers less maintenance down the road. Units available in: forward, backward, side folding, and fixed, stationary. Constructed from 6" dia. heavy wall structural tubing, with 2" side braces for vertical stability. Unit sold complete with 3-1/2" cross pipes and ceiling clamps for attachment to ceiling joist and heavy "U" channel which holds and swivels the entire unit into a closed position. Electric or manual winches are required to fold unit (sold separately). Any commercial backboard currently on the market can be installed to this basketball frame. With glass backboards LO-B10 incorporates a direct goal mount to eliminate backboard stress, this means the rim attachment point is bolted directly thru the backboard and onto the main mast.

Backboards, rims, and winches sold separately.

LO - B10 Single Mast Basketball unit.

LO - B79 Aut - O - Loc are recommended on all vertical folding units.



Auto - Loc Device

### LO-B79 Aut- O- Loc.

Safety Device offers the best safeguard against accidental backstop failure due to cable, bolt, winch or other structural failure. Device is installed on ceiling frame pipes for ceiling backstops or on wall brackets for wall mounted units.



Internal 2" nylon webbing will catch this unit in free fall eliminating injury to spectators and players. Backstop will have to be hoisted - up to reset the locking device.

# BASKETBALL

## LO- B4 Wall Mounted Height Adjustable Basketball Unit .

Economical flush mounted design allows backboards to sit approximately 8" away from wall, avoiding other game lines, and allowing infinite height adjustment from 8' to 10', complete with crank handle .

Unit is chrome finished for durability, ease of use (telescoping tubes) and appearance . Available in 35" horizontal x 20" vertical backboard bolting pattern for standard wood, steel, or fan - shaped glass backboards . Not recommended for rectangular glass backboards .

Includes all mounting hardware .

Backboards and rims sold separately .



## LO- B3 Stationary Basketball Frames

Wall mounted frames can be used where backboards will not interfere with any other game lines . Constructed from 2" x 0.125 wall square tubing, with flat steel wall stringers . Extensions ranging from 6" (flush mount) to 7' extension, complete with cable support brackets . Unit finished in black enamel . Other colors available . Comes complete with mounting hardware, backboards and rims sold separately .



LO-B3 36" Extension St. Pauls Secondary School Mississauga, Ontario

LO- B3 6" Indoor frame only, painted finish . 6" extension .

LO- B3 12" Indoor frame only, painted finish . 12" extension .

LO- B3 24" Indoor frame only, painted finish . 24" extension .

LO- B3 36" Indoor frame only, painted finish . 36" extension .

LO- B3 48" Indoor frame only, painted finish . 48" extension .

LO- B3 60" Indoor frame only, painted finish . 60" extension .

LO- B3 72" Indoor frame only, painted finish . 72" extension .

LO- B3 G6" Outdoor frame only, galvanized, 6" extension .

LO- B3 G12" Outdoor frame only, galvanized, 12" extension .

LO- B3 G24" Outdoor frame only, galvanized, 24" extension .

## LO- B5 Height Adjustable Frame Adapter .

Frames complete with crank handle, allows adjustment of backboards from regulation 10' to 8' continuously . Unit is chrome finished for durability, ease of use (telescoping tubes) and appearance . Available in 35" horizontal x 20" vertical backboard bolting pattern for standard wood, steel, or fan - shaped glass backboards . LO-B74 Adapter frame is required if mounting on a Rectangular Glass Backboard . Unit will add approximately 7" to the frame it is mounted on .



LO- B5 Rim Park, Waterloo, On

# BASKETBALL

## LO- B7 Wall Mounted Side Swing Basketball Unit

This wall mounted unit is designed for use where other game lines come in conflict with basketball unit extension . Mounted where sufficient wall space is available. Manually folds horizontally to wall with pull hooks provided, NO WINCH REQUIRED Frame is manufactured from 2" square tubing .125 wall, completely welded with reinforced hinges, and flat steel wall stringers .Unit has telescopic locking device to lock in open playing position . Frame comes painted black enamel or color specified by customer . Manual hooks are included to un-lock and pull unit into folded position . Available in 35" c.t.c. for standard wood, steel or fan-shaped glass backboards, and 63" c.t.c for rectangular glass backboards .

Backboards and rims sold separately .

LO- B7 35" c.t.c. 84" wall extension .

LO- B7 63" c.t.c. 84" wall extension .



LO- B7 Side Swing with Fan-shaped steel board, & LO- B5 Height Adapter (open and closed).



LO- B7 Side Swing with Rect.Glass board, & LO- B5 Height Adapter (open and closed).



## LO- B6 Wall Mounted Swing - Up Basketball Unit .

This wall mounted unit is designed for use where other game lines come in conflict with basketball unit extension . Mounted where sufficient wall space is available. Folds vertically to wall. Frame is manufactured from 2" square tubing .125 wall, completely welded with reinforced hinges, and flat steel wall stringers . 1/4" aircraft cable folds unit, and also holds unit at playing height . Frame comes painted black enamel or color specified by customer . Available in 35" c.t.c. for standard wood, steel or fan-shaped glass backboards, and 63" c.t.c for rectangular glass backboards . Manual or electric winches are required to fold unit (sold separately) . Backboards and rims are sold separately . Please specify if manual winches are to be used since additional pulley brackets are required to mount winch to one side of the unit .

LO- B6 35" c.t.c. 84" wall extension .

LO- B6 63" c.t.c. 84" wall extension .

LO- B79 Aut- O- Loc (page 5) are recommended on all vertical folding units .



LO- B6 Wall Swing - Up  
Bayview S.S. Richmondhill, On.



# BASKETBALL



**LO-B72NBA** Used exclusively in all NBA Arenas since the 1985 86 season. Available in direct goal mount (shown) or four corner mount (centre strut system). Extruded aluminum welded frame 42" x 72" rounded corners for visual appeal.

GOALS:Front Mounted .



**LO-B72-42"** Rectangular Glass Backboard . 42"x72" Tempered Glass 1/2" thick housed in extruded aluminum frame. Formed corner brackets allows for direct goal mount or four corner mounting . Heavy steel goal mounting plates.

GOALS:Front Mounted .



**LO-B74** Adapter for glass backboard . Brackets are Steel construction attaching to backboard frame allowing rectangular glass backboard to be mounted on existing 35" c.t.c x 20" frames .



**LO-B72** Rectangular Glass Backboard . 48"x72" Tempered Glass 1/2" thick housed in extruded aluminum frame. Formed corner brackets allows for direct goal mount or four corner mounting . Heavy steel goal mounting plates.

GOALS:Front Mounted .



**LO-B75** Steel Rectangular Backboard . 42" x 72" x 12 gauge steel. Vertical steel channels welded. Mounting holes at 35" x 20". Rim mounts 5" x 5"

GOALS:Front Mounted .

**LO-B75B** Border and target Backboard, (shown) consists of taping using 2" durable orange vinyl.



**LO-B75W** Rectangular Wood Backboard . (shown) 42" x 72" x 1-1/2" wood . Mounting holes at 35" x 20". Rim mounts 5" x 5"

**LO-B75WB** Border and target Backboard . Consists of taping using 2" durable orange vinyl. GOALS:Front Mounted .

# BASKETBALL



**LO- B76S Official Steel Fan- shaped backboard**

LO- B76S Official Steel Fan-shaped backboard . Official size, single piece of 12 gauge steel reinforced with horizontal and vertical back braces . Powder coated white, mounting 35" x 20" .

GOALS: Rear Mounted .

**LO- B76SB Steel backboard with orange target area .**



**LO- B71 Fan- shaped Glass Backboard**

LO- B71 Fan-shaped Glass Backboard . Official size 39" x 54" . 1/2" tempered glass set in heavy steel frame . Heavy steel plate for rim mounting . White border and target area .

Mounting holes at 35" x 20" .

GOALS: Front Mounted .



**LO- B76A Aluminum Fan- shaped Backboard**

LIFETIME WARRANTY. Permanent mould ensures consistent quality . Will not rust in outdoor environment, white powder coated finish . 35" x 20" mounting .

GOALS: Front Mounted .

**LO- B76AB Aluminum backboard with orange target area .**



**LO- B76 Official Fan- shaped Wood backboard .**

Official size, 35"x 20" mounting 1 1/2" thick wood, sealed and finished with white outdoor paint .

GOALS: Rear Mounted .

**LO- B76B Wood backboard with orange target area .**


# BASKETBALL



## **LO- B62 Front Mount**

Standard rim for use on rectangular backboards. Official size 18" ring of 5/8" solid steel, with 12 no-tie net holders. Round solid bent steel braces welded to offer additional support. Polyester powder coated orange to withstand outdoor use.

Complete with nylon mesh and zinc plated hardware.



## **LO- B63 Front Mount**

Double rim For use on rectangular backboards. Two Official size 18" ring of 5/8" solid steel, with 12 no-tie net holders. Round solid bent steel braces welded to offer additional support. Polyester powder coated orange to withstand outdoor use. Complete with nylon mesh and zinc plated hardware.



## **LO- B65 NBA Official**

Rim used exclusively in all NBA Arenas since 1980. Official 18" ring welded to steel supports. Breakaway action allows rim to collapse at a 230lbs. Positive lock returns and holds rim at playing position. Powder coated finish.


Complete with nylon mesh and zinc plated hardware.



## **LO- B65 Front Mount Breakaway Rim**


Official 18" ring of 5/8" solid steel, with 12 no-tie net holders. Flat steel braces bent and welded offer additional support on nearly half of the rim. Breakaway action allows rim to collapse and retract to playing position.

Powder coated finish. Complete with nylon mesh and zinc plated hardware.



## **LO- B60 Rear Mount Standard Goal**

For use on fan-shaped backboards. Official size 18" ring of 5/8" solid steel, with 12 no-tie net holders. Flat steel braces bent and welded offer additional support on nearly half of the rim. Polyester powder coated orange to withstand outdoor use. Complete with nylon mesh and zinc plated hardware.



## **LO- B61 Rear Mount Standard Goal**

For use on fan-shaped backboards. Two Official size 18" ring of 5/8" solid steel, with 12 no-tie net holders. Flat steel braces bent and welded offer additional support on nearly half of the rim. Polyester powder coated orange to withstand outdoor use. Complete with nylon mesh and zinc plated hardware.





## **LO- B67 Rear Mount Breakaway Goal**

For use on fan-shaped backboards. Official size 18" ring of 5/8" solid steel, with 12 no-tie net holders. Flat steel braces bent and welded offer additional support on nearly half of the rim.

Steel Springs allow rim to breakaway/collapse while players hang or dunk, in which rim will return to playing position. Polyester powder coated orange to withstand outdoor use. Complete with nylon mesh and zinc plated hardware.

# BASKETBALL

## LO-B69 REMOVABLE GOALS



Introducing a new way of reducing vandalism on your playgrounds!!! To keep on top of the growing number of crimes and vandalism, a line of removable goals that are very easy to use has been designed .

This new line of goals were created to reduce the risk of vandalism caused by unsupervised usage . These goals are secured to your choice of two permanent mounting plates . One plate mounts directly to the wall with concrete anchors, the other plate is designed to mount onto any standard fan - shaped backboard . With this design the rim can be attached or detached by using the pole provided, **NO LADDER NEEDED .**

Once the rim is removed, it can be stored indoors, eliminating the possibility of vandalism when not supervised . Official rim included manufactured from 5/8" solid steel with reinforcement braces, no - tie

net holders allow nylon mesh to be attached . Aluminum extruded channel is used to slide rim on, aluminum is very durable, and weather resistant, Won't Rust! All items have an orange polyester powder coat for outdoor use .

**LO- B69** Removable Goal comes complete with:

- Mounting bracket
- wall/front mounted or
- backboard/rear mounted
- Rim, powder coated polyester Orange
- Removing Pole
- Nylon Mesh
- Zinc plated Hardware .

### Individual parts:

LO - B69RP1 Rim Only w/ nylon mesh  
LO - B69RP2 Wall Bracket with hardware  
LO - B69RP3 Backboard bkt w/hardware  
LO - B69RP4 Removing Pole Only  
LO - L129 Nylon Mesh Only .

# BASKETBALL

## LO- B77 Electric Torque Winch

Drum constructed from aluminum cast, all bearings are composite material to provide long life, smooth operation and no requirement for lubrication . Lifts any wall mounted swing -up, to all standard ceiling mounted units . Comes complete with heavy duty double key switch . Max . Safe Working Load: 1000 lbs. / 450 kg . Rope Type: 1/4" / 6 mm 7 x 19 aircraft cable . Rope not supplied with winch Rope Speed: 12 feet per minute / 3.5 meters per minute . Electrical Characteristics: 110Volts, 60 cycle . Other voltages and frequencies on special order . Frame Construction: Precision interlocking steel frame for high rigidity and precise alignment .

Semi enclosed for safety .

Powder coated for corrosion resistance .


Weight (as shipped) 64 lbs.



LO- B77 Electric Winch

## LO- B78 Manual Winch .

Winch used to fold basketball units . Constructed from laser cut and C.N.C. formed steel . The cable drum is manufactured from hard anodized aluminum alloy with cable guide grooves for maximum strength and rigidity . The winch employs a double worm gear reduction system made from composite material that requires no lubrication . Crank handle included .



LO- B78 Manual Winch, front & Back View.

## LO- B73PM Pro Mould Cushion Edge

Combination of urethane foam that protects the players and skin molding process that protects the padding, providing long lasting durability . Easily bolts to any 72" official glass backboard . 5 Year warranty, Meets NCAA, and high school regulations . Available in:

Royal/Black/Scarlet/Navy/Gray/Forest Green/Kelly .

Assembly and installation required . Priced Per Pair.



LO- B73P Pro Mold Cushion Edge

## LO- B73 Gray Cushion Edge

Most economical cushion edge available, corner are mitered for an exact fit . Extends 15" up each side of rectangular boards . Adhesive can with brush included . Priced Per Pair.



LO- B73 Standard Gray Cushion Edge

# OUTDOOR BASKETBALL



## Outdoor Basketball Pole

Outdoor Basketball Pole . 3- 1/2" dia . X 0.188 wall galvanized straight tube, complete with two galvanized brackets to hold a standard fan - shaped backboard (35" x 20") . Clamps on brackets allow backboard to be installed at any height up to 10'.

Clamps fabricated from 2- 1/2" x 1/4" flat steel . Brackets hold backboard 18" away from post .

Brackets may be installed back - to - back holding two backboard .

Shown here with removable goal .

LO - B1 3- 1/2" dia, pole with brackets .

LO - B1P 3- 1/2" Pole only .

LO - B1GB Galvanized brackets only .



## LO- B2 Gooseneck Post

Ideal for any outdoor school yard or parking lot .

4- 1/2" dia. X 0.188 wall single tube bent at a 90 degree angle . Backboard face sits 4ft . away from pole, Backboard bracket will hold any standard fan - shaped backboard with a 35" x 20" bolt pattern . Hot dipped galvanized for longer life.

Rectangular Acrylic backboards can be installed to produce a clean look . Direct goal attachment eliminates backboard stress, and prolongs unit life .

LO - B2 4- 1/2" Pole with adapter .

LO - B2P 4- 1/2" Pole Only .

LO - B2GB Galv. Brackets only .

LO - B2AB 4- 1/2" Pole, Acrylic board, and Standard rim .

LO - B2AB1 4- 1/2" Pole, Acrylic board, and spring rim .



# OUTDOOR BASKETBALL



## LO- B1100 Quad - Basketball System .

Excellent for any outdoor school yard, this single post design allows the attachment of 4 backboards . Total of 8' clearance from backboard face to center post . Center post constructed from 6" O.D. Tube, arms are constructed from 5" x 5" square tubing . Any backboard or rim can be installed on this unit . Ideal area required for installation is 50' x 50' flat paved.

Shown with Fan-steel board and breakaway rim .

Frame only . See pages 8-11 for rim and backboard selection .



## LO- B1101 Tri- Basketball System

Excellent for any outdoor school yard, this single post design allows the attachment of 3 backboards . Total of 8' clearance from backboard face to center post . Center post constructed from 6" O.D. Tube, arms are constructed from 5" x 5" square tubing . Any backboard or rim can be installed on this unit . Ideal area required for installation is 50' x 50' flat paved.

Shown with Fan-steel board and standard rim .

Frame only . See pages 8-11 for rim and backboard selection .



## LO- 7000 Plastic Triple Hoop System

Designed for non - competitive playground fun, this game allows users to throw a ball thru the top, and keep them guessing as to which of the three holes it will exit from . Ideal for younger ages where accuracy to play on a standard basketball rim may not be developed, this much larger top opening can be used with a variety of ball sizes. Top portion manufactured from plastic, 3- 1/2" dia. Galvanized steel pole cements into ground . Top portion is removable with the use of simple tools, allowing storage indoors over summer breaks if required .

Triple hoop kit includes 3- 1/2" pole, plastic triple hoop, and hardware . Top plastic molded in one piece, red in colour .

# OUTDOOR EQUIPMENT



## LO- V770 Outdoor Permanent Volleyball Posts.

2-3/8" diameter, steel poles with welded eyes at two heights, (men's and women's Sr.) Poles are galvanized to avoid rusting .



## LO- T771 Tetherball Post .

2-3/8" diameter steel post with welded top hook, pole is galvanized to avoid rust .



## LO- T5 Tether Ball with rope .

Standard indoor volleyball poles can be used outdoors with the installation of Outdoor Sockets . Sockets come complete with caps.

LO- OS10 Outdoor Socket for 1-7/8" Post. Hot Dipped Galvanized.

LO- OS1 Outdoor Socket for 2-3/8" Post. Hot Dipped Galvanized.

LO- OS12 Outdoor Socket for 3" Post. Hot Dipped Galvanized.

Replacement Caps are available .



LO- T773 Tennis Posts. Constructed from 3" round steel, complete with winch and 2" nylon webbing leader. Webbing passes over the aluminum top pulley and hooks onto the net. Ground sockets included . Poles have a green powder coated finish .

Tennis Net, 42' long, 3- 1/2' high, 1- 1/2" mesh .

LO- TN102 Tennis net 3.5 mm coated cable top, end pockets with dowels .

LO- TN103 Tennis net 2.5mm coated cable top, taped all around reinforced corners .

LO- TN143 Tennis net 2.0mm coated cable top, taped all around, headband with 4 rows of stitching .

# BIKE RACKS

## Permanent Bike Rack

Vertical Permanent Bike Racks, sleek thin design allows for installation in confined spaces. Manufactured from steel tubing frame with solid steel bar pickets, hot dipped galvanized for longer life. Can be accessible from either side, holds 12 bikes neatly arranged. Total length 96". Two units shown installed end - to - end.

**LO- 8002** with extended upright to cement into place below grade.

**LO- 8002FM** with flush mount plate for installation on finished cement.



## Free Standing Bike Rack.

Free Standing Bike Racks, sleek vertical design combined with flat base allows this bike rack to be placed anywhere on your property. Manufactured from steel tubing frame with solid steel bar pickets, hot dipped galvanized for longer life. Unit comes complete with 4 anchoring pickets which get driven down below surface for temporary installation, if required pickets can be removed, and rack can be relocated. Can be accessible from either side, holds 12 bikes neatly arranged. Total length 96".

**LO- 8001** Free Standing Bike Rack.



## Contemporary Bike Racks

Manufactured from 2-3/8" Round tube, can be surface mounted on cement, or permanently installed on asphalt or grass. Finishes include powder coating or hot dipped galvanized for longer life. Complete welded design for extra durability.

**LO- CBR2** Two hump rack holds 4 bikes.

**LO- CBR3** Three hump rack holds 6 bikes

**LO- CBR4** Four hump rack holds 8 bikes.

**Please specify surface mount or permanent mount.**



## Low Profile Bike Rack

Sleek low design combined with square tube base allows this bike rack to be placed anywhere on your property. Manufactured from steel tubing frame with solid steel rods accepting bike wheels, hot dipped galvanized for longer life. Unit comes complete with 4 anchoring pickets which get driven down below surface for temporary installation, if required pickets can be removed, and rack can be relocated. Can be accessible from either side, holds 12 bikes neatly arranged. Total length 96".

**LO- 8000** Low Profile Bike Rack.




# TRACK AND FIELD

## LO-970 Take Off Board

Constructed from 48" x 8" x 4" laminated ply wood . Sealed and finished with 3 coats of white paint . Comes complete with ground spikes.

## LO-971 Curved Toe Board

Constructed from laminated ply wood, measures 48" inside the curve . Sealed and finished with 3 coats of white paint . Comes complete with ground spikes.



## LO-972G Shot Put Circle

Manufactured from 2" wide x 3/16" thick flat bar. Total of 4 pieces when assembled gives a 2134cm diameter . Sections bolt and fold together for ease of transportation . Steel is hot dipped galvanized to avoid rusting .



## LO-973G Discus Circle

Manufactured from 2" wide x 3/16" thick flat bar. Total of 5 pieces when assembled gives a 250cm diameter . Sections bolt and fold together for ease of transportation . Steel is hot dipped galvanized to avoid rusting .

## LO-980 High Jump Standards

Steel base with aluminum uprights marked in inches and meters up to 83" (2.1m) Adjustable height indicator .

## LO-980R Replacement Raiser


## LO-981 Cross Bar Rope

For Beginners, 15'long rope with sand bags at each end .



## LO-PVP Pole Vault Pit

Constructed from steel sheet metal, formed and shaped to specs. Hot dipped galvanized finish .



## LO-PVL Pole Vault Pit Liner

Designed to line the opening of the pole vault pit, protects athletes from striking metal pit . Made in 3 pieces and attaches with Velcro for ease of shipping . Available in 2" or 4" thick .

# SOCCER

## Soccer Goals

Soccer Goals constructed from 2-3/8" (60mm) 3-1/2" (89mm) round tubing, or 4" (100mm) square tubing. All tubes have a minimum wall thickness of 0.125" (3mm).

Goals are available with:

- Full back braces, (48" back on top, 9- 1/2 feet back on bottom),
- European braces (3' back and 2' down from crossbar),
- No brace (posts and crossbar only).
- Box Style, two poles mounted behind hold net.

Goals are manufactured to meet FIFA specifications. Tubes are electrostatic polyester powder coated for a very durable finish, hot-dipped galvanizing is available for longer life. All steel goals have no-tie net hooks on uprights, and crossbars. Please specify if hooks are not required.



LO-S793 Full back braces



LO-S793E European braces

## Steel Soccer Goals.

LO - S790	24'x8', no braces, made from 3- 1/2" round, with net hooks. White finish.
LO - S791	24'x8', no braces, made from, 4" Square, with net hooks. White finish.
LO - S792	24'x8', 4'top, 9'- 1/2" bottom full braces, 4" Square, with net hooks. White finish.
LO - S793	24'x8', 4'top, 9'- 1/2" bottom full braces, 3- 1/2" Round, with net hooks. White finish..
LO - S792E	24'x8', European braces, 4" Square, with net hooks. White finish.
LO - S793E	24'x8', European braces, 3- 1/2" Round, with net hooks. White finish.
LO - S792B	24'x8', Back poles, no brace, 4" Square, with net hooks.
LO - S793B	24'x8', Back poles, no brace, 3- 1/2" Round, with net hooks.
LO - S790J	18'x8', no braces, made from 3- 1/2" round, with net hooks. White finish.
LO - S793J	18'x8', 4'top, 9'- 1/2" bottom full braces, 3- 1/2" Round, with net hooks. White finish.
LO - S793EJ	18'x8', European brace, 3- 1/2" Round, with net hooks. White finish.
LO - S794J	12'x 7', no brace, 2- 3/8" steel soccer goal, with net hooks. White finish.
LO - S795J	12'x 7', full brace, 2-3/8" steel soccer goal, with net hooks. White finish.

All Round Tubing Frames are available in Aluminum by adding an 'A' behind each code, eg. LO-S790A.

**OTHER CUSTOM SIZE SOCCER GOALS AVAILABLE UPON REQUEST!**

## MESH/NETTING

LO - S793WN	Official Mesh. Wembley white, 5mm nylon. 24'w x 8'h x 4'topx 9- 1/2'bottom.
LO - S793N	Official Mesh. Pro orange, 3.5mm PE24'w x 8'h x 4'topx 9- 1/2'bottom.
LO - S793I	Official Mesh. Orange, 2.5mm twisted PE24'w x 8'h x 4'topx 9- 1/2'bottom.

# SOCCER/ FOOTBALL

## LO-SF700 SOCCER/FOOTBALL COMBINATION GOAL

Vertical Soccer posts and crossbar manufactured from 4" square tubing, with an official opening of 24' wide x 8' high. Football Uprights are manufactured from 2" round tubing spaced 18'6" apart and 30' high off the ground. All steel is primed and painted with outdoor white rust resistant paint. Mesh on soccer goals are not included.




### LO-FG650 Official Single Post Football Goal.

Single 4- 1/2" O.D. standard steel tubing formed from a single length of pipe with 90 degree offset at a length of 6' for maximum freedom in the end zone.

3- 1/2" O.D. Crossbar holding uprights 18'6" apart. 2" O.D. uprights 20' long. Posts can come primed and painted with outdoor weather resistant paint or hot dipped galvanized for a longer life. Goals can also be ordered as permanent installation or temporary with the use of ground sockets. Shipped in 4 pieces.

**LO - FG650GS** Ground Sockets for football posts.




### Football Post Pads.

Manufactured from 18 oz. Vinyl sewn together with 100% nylon treads. Attached to post with Velcro, 6' high, and 4" thick. Round, square, triangle, or any other custom shape available.

**LO - F795** Round Post Pads

**LO - F795S** Square Post Pads



# PORTABLE SOCCER

## Portable Soccer Goals. Official Size 24'w x 8'h x 4'top x 9-1/2'bottom .

Extremely ridged heavy duty look makes this goal the right choice for your field . Net hooks incorporated onto back and bottom fully attach netting . Pneumatic transport wheels and housings are installed on every goal allowing easy transportation on and off the field by two people . Goals are also available in a folding model (extra charge) to decrease storage space when not in use . All goals are electrostatic polyester powder coated for a durable finish . Mesh not included, please select mesh on page 18

Assembly required, all hardware included .



These portable soccer goals are manufactured in two types of materials, steel tubing or extruded aluminum tubing. Ground pickets are supplied and should be installed on goals to avoid accidental tip over. Sand bags are also available.

## LO-S793P Portable Steel Soccer Goals.

Posts and Crossbars constructed from 3-1/2" dia. X 0.125 wall steel tubing, bottom grass counter weight bars constructed from 2"x4"x0.188 wall rectangular tubing . These goals incorporate no-tie net hooks welded to the back and bottom for full net attachment .

## LO-S793PA Portable Aluminum Soccer Goals.

Posts and Crossbar constructed from 3-1/2" dia. Custom extruded aluminum tubing, complete with integrated sliding channel for aluminum net hook attachment . Back bars and grass bars are all constructed from aluminum for a completely rust free,



Transports in playing position . Transports in moving position .



Folding-Portable soccer goal as shipped assembly required . Picture

# GOALS

## FIELDHOCKEYGOALS

12' wide x 7' high x 4' deep. Official Field Hockey Frames manufactured from 2" x 2" x 0.100 wall square steel tube with 1" back braces. Posts come complete with no-tie net hooks for easy installation of net. Assembly Required. Posts are finished with primer and white enamel rust resistant coating. Available with 3/4" x 18" plywood backing on sides and back. Frames are manufactured to fold for easy storage, backing allows for ground pegs (supplied) to be installed.


LO-FH810 Steel Frame only without plywood bottom or mesh. (not shown)

LO-FH811 Steel Frame with plywood backing, without mesh.

LO-FH810A Aluminum Frame no plywood.

LO-FH811A Aluminum Frame with plywood.

LO-FH810N Mesh for field hockey goals.



## LO-FH815

Official Floor Hockey Goals. Manufactured from 1-1/4" dia. steel tubing, 6' wide x 4' high x 2' deep. Complete with floor protectors, frames are manufactured to slide into one another for ease of storage, Assembly required. Steel has an electrostatic powder coated finish. Mesh is not included.

## LO-FH815N Floor Hockey Netting

6' x 4' x 2' deep black polyethylene twine.

## LO-THS800

Team Handball Goal. Portable goal manufactured from 3" x 3" x 0.100 wall steel tubing. 6'-3/4" X 9'10" x 3' deep. 1" Back braces fold for ease of storage. Front posts and crossbars primed and painted with a white/black striped enamel finish. Mesh not included.

## LO-THS800N

Mesh for Handball goals manufactured from braided nylon.



# CARTS/CARRIERS

## BALL CARRIERS



### LO-BC2 Ball Carrier

Holds 18 Volleyballs. All steel three tier channel construction allows badminton rackets to be stored with-in the top two tiers. Bottom full tier allows small balls like baseballs to be stored. Powder coated red finish, complete with 4 non-marking swivel casters. Assembly required.



### LO-BC3 Ball Carrier

Holds 12 Basketballs. Tubular steel construction, complete with 4 non-marking swivel casters. Red powder coated finish.



### LO-BC1 Large Capacity Cage Ball Cart

Carries all types of balls. Designed with a hinged top that can be locked. Folding design allows for ease of transporting. Complete with 4 non-marking swivel casters, chrome finished. (locks not included).

### LO-BC1HD Heavy Duty Cage Ball Cart (not shown)

Completely welded construction means this cart can take lots of abuse. Large Capacity carries all types of balls. Designed with a hinged top that can be locked. Complete with 4 non-marking swivel casters. (locks not included).

## MAT TRUCKS



### LO-40 Mat Truck

2' wide x 4' long, constructed from 3/4" plywood. Reinforced with two wood stringers. Complete with 4 non-marking swivel casters, and pull rope.



### LO-41 Mat Truck

4' wide x 8' long, constructed from 3/4" plywood. Reinforced by steel frame. Complete with 4 non-marking swivel casters, and a welded steel handle.

### LO-42 Mat Truck

5' wide x 10' long, constructed from 3/4" plywood. Reinforced by steel frame. Complete with 4 non-marking swivel casters, and a welded steel handle.



### LO-43 Mat Truck For Outdoor Use

4' wide x 8' long, constructed from 3/4" plywood. Reinforced by steel frame. Complete with 4 pneumatic 10" wheels for ease in traveling over rough terrain, as well as a swivel steel handle.



# GYM EQUIPMENT



## LO- CB1021 Adjustable Chin - Up Bar

Manufactured from 1-1/8" round tubing, welded to angle line stringers. Wood stringers are also included to mount onto wall. Wood stringers have a clear glossy lacquer finish, and all steel is chromed. Includes hardware to be mounted onto wall.



Designed to develop arm, shoulder, and back muscles. Each board comes complete with mounting hardware, and two pegs.

## LO- PB1023 Peg Board


Manufactured from 3/4" plywood with added wood stringers for installation. All holes are numbered, wood is sealed and has a clear glossy lacquer finish.

## LO- PB1023S Peg Board with Steel Inserts

Manufactured from 3/4" plywood with steel inserts with in holes. All holes are numbered, wood is sealed and has a clear glossy lacquer finish.

## LO- PBP Replacement Pegs

For Peg Board.  
Sold per pair.



Single Climbing Ropes can be installed with the use of a beam clamp onto your ceiling joist. Each rope includes; beam clamp, rope hangers, 1-1/4" manila rope, and rope boot. Please specify the type of beam you have, and the height from the finished floor. A hoisting kit can be installed onto the nearest wall to lift and store the ropes out of the way, this is done manually with nylon pull rope included.

LO- RT84 Single climbing rope for a 20' ceiling height.

LO- RT86 Wall mounted hoisting kit.

**Rope Tracks.** Ropes can be attached to this track which is mounted perpendicular to a wall. When not in use the ropes are retracted to the wall and tightened, when used the track will pull the ropes away from the wall, the track also holds the ropes 48" apart when in the usable position, allowing clearance from one rope to another.

LO- RT81 Rope track for 4 ropes.

LO- RT82 Rope track for 6 ropes.

# OUTDOOR BENCHES

## Aluminum Benches with Galvanized Steel Supports

Seats are available with or without backings, and with your choice of legs, permanent, portable, or surface mount. All seats and backings are manufactured from 10" extruded aluminum with end caps installed. Leg supports manufactured from 2-3/8" galvanized steel tubing for strength and rigidity. All benches come in 8', 15', or 21' lengths.

**Legs with Rubber Bumpers:** available for use indoors.

**Permanent Legs:** for installation on asphalt or grass.

**Surface Mount:** for installation onto cement.

All Available with or without backings.

## Permanent Benches

<b>LO - AB8PB</b>	8' Long, with backing.	<b>LO - AB8P</b>	8' long, no backing.
<b>LO - AB15PB</b>	15' Long, with backing.	<b>LO - AB15P</b>	15' long, no backing.
<b>LO - AB21PB</b>	21' Long, with backing.	<b>LO - AB21P</b>	21' long, no backing.

## Surface Mount Benches

<b>LO - AB8SMB</b>	8' Long, with backing.	<b>LO - AB8SM</b>	8' long, no backing.
<b>LO - AB15SMB</b>	15' Long, with backing.	<b>LO - AB15SM</b>	15' long, no backing.
<b>LO - AB21SMB</b>	21' Long, with backing.	<b>LO - AB21SM</b>	21' long, no backing.

## Surface Mount Indoor Benches with rubber bumpers

<b>LO - AB8SIB</b>	8' Long, with backing.	<b>LO - AB8SI</b>	8' long, no backing.
<b>LO - AB15SIB</b>	15' Long, with backing.	<b>LO - AB15SI</b>	15' long, no backing.
<b>LO - AB21SIB</b>	21' Long, with backing.	<b>LO - AB21SI</b>	21' long, no backing.



Surface mount indoor benches. Complete with rubber bumpers.

## Park Bench

Permanent mounting. Legs manufactured from 2-3/8" round tube, available with pressure treated wood, recycled plastic, or aluminum seating and backing boards. Comes in 6' lengths. Legs have a powder coated finish.

<b>Treated Wood Bench:</b>	<b>LO - PB32</b> no backing.	<b>LO - PB33</b> with backing.
<b>Plastic Wood Bench:</b>	<b>LO - PB34</b> no backing.	<b>LO - PB35</b> with backing.
<b>Aluminum Bench:</b>	<b>LO - PB36</b> no backing.	<b>LO - PB37</b> with backing.



## Aluminum Tip-N-Roll Bleachers

All seats and backings are manufactured from 10" extruded aluminum with end caps installed. Angle iron frame with heavy duty swivel casters. These swivel wheels, and rubber floor protectors will not mark your gymnasium floors. This unit can be used indoors, or outdoors. These light weight units are easily tipped over by a responsible adult, however, if tipped over outdoors caution must be taken in windy conditions. Multiple adults may be required to control the unit.

### 2 Rows:

<b>LO - TNR82</b>	8' long.
<b>LO - TNR152</b>	15' long
<b>LO - TNR212</b>	21' long

### 3 Rows:

<b>LO - TNR83</b>	8' long.
<b>LO - TNR153</b>	15' long
<b>LO - TNR213</b>	21' long



# BENCHES



Lolimpin Gym Equipment has a large selection of Balance Benches to choose from . Each Balance Bench are manufactured from 10-1/2" wide hard Canadian Maple, and sit 14" high . All corners are rounded and benches are finished with three coats of clear gloss lacquer . Benches can be used in conjunction with climbing frames by adding our stationary leather covered hooks, or folding hooks . Benches can come with either steel, aluminum, or wood legs . Steel legs come with plastic plug inserts to protect floor, Aluminum legs come with rubber bumpers . Wood legs have plastic molded feet .

LO - BA1010 10' Balance Bench with Aluminum Legs .

LO - BW101 10' Balance Bench with Wood Legs .

LO - BS1010 10' Balance Bench with Steel Legs .

LO - BA1012 12' Balance Bench with Aluminum Legs .

LO - BW1012 12' Balance Bench with Wood Legs .

LO - BS10102 12' Balance Bench with Steel Legs .

Bench Hooks allow Benches to be attached onto climbing frames .

LO - BH Stationary Bench Hook covered with leather .

LO - FBH Folding Bench Hook .

Replacement Parts .

LO - RB Rubber Bumper for Aluminum Legs .

LO - SP1 Square Plastic Plug for Steel Legs .

LO - PF Plastic Feet for Wood Legs



# MATS

Lolimpin Gym manufactures a variety of mats for a variety of uses. Each mat is covered with 18oz. heavy duty PVC vinyl that offers protection even from track cleats. All mats are sewn together with 100% nylon threads that offers great durability. All mats come with top quality foam made in Canada! These mats are all manufactured for ease of storage and transportation.

## Exercise Mats

With easy - to - use carry handles

LO - 24 2'x4'x1"

LO - 25 2'x5'x1"

LO - 26 2'x6'x1"

## Slab Mats

Non - folding slab mats has 18oz. vinyl cover with an easy - to - carry handle or to hang on wall.

LO - 62 4'x8'x2"

LO - 63 5'x10'x2"

LO - 64 4'x8'x3"

LO - 65 5'x10'x3"

## 2" Thick Mats

Non - folding mats with 18oz. vinyl cover, with top quality urethane foam, with Velcro on two or four sides.

LO - 90 2'x4'x2"

LO - 91 2'x4'x2" V2

LO - 92 2'x4'x2" V4

LO - 93 4'x4'x2"

LO - 94 4'x4'x2" V2

LO - 95 4'x4'x2" V4

LO - 96 4'x6'x2"

LO - 97 4'x6'x2" V2

LO - 98 4'x6'x2" V4

LO - 99 4'x8'x2"

LO - 100 4'x8'x2" V2

LO - 101 4'x8'x2" V4

## 2" Thick Mats

Folding Mats 2"

LO - 102 4'x4'x2"V2

LO - 103 4'x4'x2" V4

LO - 104 4'x6'x2" V2

LO - 105 4'x6'x2"V4

LO - 106 4'x8'x2" V2

LO - 107 4'x8'x2" V4

LO - 112 5'x5'x2" V2

LO - 113 5'x5'x2" V4

LO - 114 5'x10'x2" V2

LO - 115 5'x10'x2" V4



Ethafoam Mats - Top quality ethafoam used for advanced gymnastics to give maximum performance.

LO - 116 2'x4'x1"

LO - 117 2'x4'x1"V2

LO - 118 2'x4'x1" V4

LO - 119 4'x4'x1"

LO - 120 4'x4'x1" V2

LO - 121 4'x4'x1" V4

LO - 122 4'x6'x1"

LO - 123 4'x6'x1" V2

LO - 124 4'x6'x1" V4



LO - 125 4'x8'x1"

LO - 126 4'x8'x1" V2

LO - 127 4'x8'x1" V4

LO - 134 5'x5'x1"V2

LO - 135 5'x5'x1" V4

LO - 136 5'x10'x1" V2

LO - 137 5'x10'x1" V4

LO - 138 2'x4'x2"

LO - 139 2'x4'x2" V2

LO - 140 2'x4'x2" V4

LO - 141 4'x4'x2"

LO - 142 4'x4'x2" V2

LO - 143 4'x4'x2" V4

LO - 144 4'x6'x2"

LO - 145 4'x6'x2" V2

LO - 146 4'x6'x2" V4

LO - 147 4'x8'x2"

LO - 148 4'x8'x2" V2

LO - 149 4'x8'x2" V4



# CRASH MATS / COMPETITION MATS

All Lolimpin Gym Equipment Landing Pits & Crash Mats are designed to offer great durability, prolonged strength, while having safety at its peak. Every Landing Pit is manufactured from the highest quality polyurethane foam to extend absorption and the life of each pit. All pits are manufactured with screen sides for proper ventilation of inner foam upon impact. Each pit is covered with top quality 18oz. PVC vinyl, with standing the use of track cleats in such activities as high jump. Handles are double stitched on to provide durability and easy of transportation. Each pit is sewn together with 100% nylon threads, heavy duty zippers are also sewn on for removal of cover. Pits can be ordered with "D" rings that allows two or more pits to be joined to create space for a variety of gymnastic maneuvers. Also Pits can be ordered with folds to create a thicker pit with half the area.


## Landing Pits, Crash Mats & Dismount Mats



LO - 300	4'x8'x8"	LO - 309	5'x10'x20"
LO - 300C	Cover Only	LO - 309C	Cover Only
LO - 301	4'x8'x10"	LO - 310	5'x10'x24"
LO - 301C	Cover Only	LO - 310C	Cover Only
LO - 302	4'x8'x12"	LO - 311	5'x10'x30"
LO - 302C	Cover Only	LO - 311C	Cover Only
LO - 303	4'x8'x20"	LO - 312	6'x12'x8"
LO - 303C	Cover Only	LO - 312C	Cover Only
LO - 304	4'x8'x24"	LO - 313	6'x12'x10"
LO - 304C	Cover Only	LO - 313C	Cover Only
LO - 305	4'x8'x30"	LO - 314	6'x12'x12"
LO - 305C	Cover Only	LO - 314C	Cover Only
LO - 306	5'x10'x8"	LO - 315	6'x12'x20"
LO - 306C	Cover Only	LO - 315C	Cover Only
LO - 307	5'x10'x10"	LO - 316	6'x12'x24"
LO - 307C	Cover Only	LO - 316C	Cover Only
LO - 308	5'x10'x12"	LO - 317	6'x12'x30"
LO - 308C	Cover Only	LO - 317C	Cover Only

Lolimpin Gym Equipment Competition Mats are manufactured with a combination of ethafoam and polyurethane foam for dismounts from Parallel Bar, High Bar, or Ring apparatus. The combination of the two densities allows utmost protection and maximum cushioning. Each mat is covered with top quality 18oz. PVC vinyl, screen sides are also important for ventilation upon impact. All mats are sewn together with 100% nylon threads, industrial strength zippers are sewn on to remove cover.

LO- 318	4'x8'x4 - 1/4"
LO- 319	4'x8'x8 - 1/4"
LO- 320	4'x8'x10 - 1/4"
LO- 321	5'x10'x4 - 1/4"
LO- 322	5'x10'x8 - 1/4"
LO- 323	5'x10'x10 - 1/4"
LO- 324	6'x12'x4 - 1/4"
LO- 325	6'x12'x8 - 1/4"
LO- 326	6'x12'x10 - 1/4"



# CUSTOM MATS

Custom Mats as manufactured by Lolimpin Gym can be designed to suit any customers requirement . Custom mats are designed and fabricated to eliminate any potential injuries that can occur around obstacles in your facility . Customizations can be made to standard wall mats installed on wall behind basketball units to accommodate light switches, receptacles, fire extinguishers, or any other wall mounted accessible point that cannot be covered by mats. Below are some pictures of custom mats designed around : columns, posts (square or round), or stair railings .





## Rim Park, Waterloo, Ontario

Custom Stair handrail mat to protect figure skaters from impacting metal handrails . This mat has a plywood backing, with 2" of foam, upholstered with 18oz. Vinyl . Custom metal clips were fabricated to install the padding on handrail . Mats can be manufactured in any thickness, upholstered with a large selection of colors, and with custom graphics .

## Pole Padding

Padding for poles can be designed in any shape, round or square being most common . Mats have also been created as octagons, and triangle shapes . Mats attach to pole with Velcro sewn along the full length of the split side . Mats can be fabricated with different foam thickness or density meeting your specific application . A wide selection of vinyl color and custom printing can personalize each pad .



## Pole Vault Pit Liner

Designed to line the opening of the pole vault pit, protects athletes from striking metal pit . Made in 3 pieces and attaches with Velcro for ease of shipping . Available in 2" or 4" thick .



# WALL MATS

Wall Padding is designed and manufactured by Lolimpin Gym Equipment right here in Canada. Padding is made to customers requirements in length, height, thickness, and color. Custom logo's can be printed to give your facility that 'HOME COURT ADVANTAGE'.



Wall Mounted Removable 4' x 8' x 4" thick mats. F.H. Miller P.S., Toronto, Ontario

**Removable** wall pads consists of standard gym mats with Velcro on 4 sides which attaches to a wall mounted Velcro strip housed in a custom aluminum extruded shape. This shape allows for the Velcro slip to be interchangeable after many years of use, and the flanges on each side allows for installation onto wall. When not required as wall padding these mats can be removed and used for floor exercises, making this type of wall padding very popular amongst elementary schools and community centers.

**LO- 210** Safety Permanent wall panels . 4'x6'x4" thick with plywood backing, vinyl covered .

**LO- G536** Velcro Strip, 8' length . Complete with 2" Velcro insert .

**LO- G536 - 10** Velcro Strip, 10' length . Complete with 2" Velcro insert .

**LO- G536 - 4** Velcro Rail, 4" thick sewn onto vinyl, and upholstered onto plywood, for use where larger/thicker mats are required .

**Choose mats from Page 20 for use with Velcro Strips** , make sure the mats chosen have Velcro on 4 sides, there is a large selection is sizes, folding and non - folding are also available .


Wall mats can also be custom made 4" thick for extra protection where required . Please inquire .

## Stage Mats

Mats can be manufactured to fold over the top of the stage for protection behind backstops . Velcro is attached to the stage to hold mats in place . Custom logos can be printed for a custom look . (see below)



**Permanent** wall pads consist of 1/2" plywood backing with selected foam adhered to face, all upholstered with 18oz vinyl in your choice of colors matching you facility . Our art department can design and apply Epoxy based inks for that custom finish . Logos can be printed in one color, (shown below) or full color . Customizations can be made to standard wall mats installed on wall behind basketball units to accommodate light switches, receptacles, fire extinguishers, or any other wall mounted accessible point that cannot be covered by mats . Wall Padding can also cover columns as shown .



# VOLLEYBALL

## Heavy Duty Telescopic Volleyball Post

Constructed for competition use. A must for every High School, College and University. Telescopic outer posts allows volleyball nets to be adjusted while nets are still in playing position. Posts are free standing and do not need any cable support, and also fit all 3" sockets. Winch comes complete with leader and hook which allows easy hook up to any net, all winches have fold-away handles for increased safety. Bottom winch is adjustable to adapt to any size net. All posts have a red powder coated, baked on finish.

### LO-V739 Steel Post

#### Advanced Height Adjustment System

3" Volleyball Posts used for any playing height. Height adjustment is made by turning the easy to use removable handle. Internal gears lift or lower outer post to desired height giving infinite height adjustment. Height can be altered while net is in playing position, simply release tension on net and crank to desired height, internal gears automatically lock post.




### LO-V738 Manual Aluminum Height Adjustable Volleyball System

Outer pole allows for net height adjustment while net is attached. Light weight telescopic design. Powder coated finish, complete with winches.

### LO-V737A Manual Aluminum Volleyball System

Aluminum extruded poles incorporate a height adjustable net anchoring mechanism. The net attachment point is adjustable by sliding with - in the inner extruded grooves of the aluminum post. This allows for quick, easy, manual net adjustment.



# VOLLEYBALL

## LO-B704 Post Safety Pads

Safety comes first!

No Full Volleyball Court is complete without safety pads covering your volleyball poles. These pads are manufactured to fully cover posts and all internal winches up to 6 feet high. Constructed from 2" polyurethane foam, shaped and covered with 18oz. P.V.C. vinyl (shown here in black). Sewn together with 100% nylon threads. Velcro is attached along the whole 6 foot length to secure the pads to your posts. Slits cut in the Velcro allows for cable holding netting to pass thru at any height.



**Neatly Store & Transport all your volleyball equipment on this handy cart!**

## LO- SC700 Volleyball Storage Cart


Volleyball Storage Cart is manufactured from 2" square steel tubing in a very strong rigid design. Assembly is required for ease of shipping. Space to hold up to 6 3" dia. Volleyball poles, and one referee stand on top. Bottom of cart is made from 2" x 2" x3/16" steel mesh which allows storage room for badminton posts, volleyball nets, antennas or winches. Heavy duty non - marking casters allows this cart to move effortlessly without damaging your floor even when fully loaded.




# VOLLEYBALL/ BADMINTON

**Combination Posts** are ideal for school use, these posts have pre-set settings for men's or women's volleyball, badminton, and tennis. Constructed from 1 7/8" or 2 3/8" or 3" x .125 wall round tubing (depending on size of your sockets). Posts have a red powder coated baked on finish. All pulleys are made from durable plastic and rings from 1/4" solid rod.

- LO - V710 1 7/8" (50mm)Post with eye rings
- LO - V711 1 7/8" (50mm)Post with Pulley
- LO - V712 1 7/8" (50mm)Center Post eyes/pulley
  
- LO - V720 2 3/8"(60mm) End Post with eye rings
- LO - V721 2 3/8"(60mm) End Post with pulley.
- LO - V722 2 3/8"(60mm) Center post eyes/pulley
  
- LO - V720A 3"(76mm) End Post with eye rings
- LO - V721A 3"(76mm) End Post with pulley.
- LO - V722A 3"(76mm) Center post eyes/pulley .
  
- LO - V724A 3"(76mm) Aluminum End Post with eye rings
- LO - V725A 3"(76mm) Aluminum End Post with pulley.
- LO - V726A 3"(76mm) Aluminum Center post eyes/pulley .



**Badminton Posts**




2- 3/8" LO - V720 LO - V722 V721  
3" LO - V720A LO - V722A LO - V721A

## Badminton Posts

Constructed from 1 7/8" or 2 3/8" or 3" x .125 wall round tubing . Posts have eyes welded in place, and welded bottom rope attachment hooks . Posts have a red powder coated baked on finish .

- LO - B732 1 7/8" (50mm)Post with one eye rings
- LO - B733 1 7/8" (50mm)Center Post 2 eye rings
- LO - B734 2- 3/8" (60mm)Post with one eye rings
- LO - B735 2- 3/8" (60mm)Center Post 2 eye rings
  
- LO - B736A 3" (75mm)Post with one eye rings
- LO - B737A 3" (75mm)Center Post 2 eye rings
- LO - B736AL 3" (75mm)Aluminum Post with one eye rings
- LO - B737AL 3" (75mm)Aluminum Center Post 2 eye rings



LO- V710 LO- V712 LO- V711

## LO-709 Heavy duty 600 lbs. Winch

Winch can work with rope or webbing . Laminated high carbon steel gears for longer life. Durable tuff plating used. Free wheel when ratchet is disengaged.

## LO-710 Standard winch

With folding handle, brass gears. Laser cut, formed base with a solid steel shaft, and durable chrome finish .



# VOLLEYBALL

## **LO- V761T 1-7/8" Tripod System .**

Offers exceptional net attachment at set heights from your 1-7/8" sockets . Designed with safety and ease of use in mind . Individual winches installed for top and bottom of net, top winch incorporates 2" webbing with a 600lbs . winch . System has built in wheels for transportation, and a baked on Powder coated finish . Rubber bumpers are installed to protect floor at contact points . Assembly required .

## **LO- V761TC Tripod Center Post .**

Manufactured to be installed in the center of two courts, complete with two winches .



## **LO- V762 Safety Padding .**

For Tripod Volleyball System. 18oz. Vinyl covering 2" polyurethane foam, sewn together with 100%nylon threads . 2" Velcro is used to secure pads to post . Padding covers bottom braces and post up to 6' high . Standard pad color is blue, Custom vinyl colors are available .



## **LO- V763 Center Post Pads.**

Same specifications as above, manufactured for center post .



## **LO- 764 Referee Stand**

Free standing unit, constructed from 3/4" x 1-1/2" x .125 rectangular tubing . Completely welded together, folds for easy storage . Platform is 18"x 24" at 48" high . Red powder coated baked on finish . Complete with rubber floor protectors .

## **LO- 764SP Safety Pad.**

### **Safety Pads for Referee Stand .**

Constructed from 2" polyurethane foam, shaped and covered with 18oz. P.V.C. vinyl . Sewn together with 100%nylon threads . Attaches to stand with 2" velcro straps .



# VOLLEYBALL FLOOR SOCKETS

## Volleyball Floor Sockets/Anchors

Floor sockets fall into two major categories: Two piece (for floating wood floors), or One piece (for floors directly on cement). It is very important to know which type of floor socket you require. A one piece socket may not be installed on a floating floor system, it will restrict the flex of the floor.

### Floating Floor Sockets include, Brass flange with lid, and steel socket

- LO - V750 Floating floor socket for 1-7/8" post .
- LO - V753 Floating floor socket for 2-3/8" post .
- LO - V735 Floating floor socket for 3" post .
- LO - V751 Replacement Lid for Floating Floor Sockets
- LO - V752 Socket Only for 1-7/8" post .
- LO - V754 Socket Only for 2-3/8" post .
- LO - V737 - S Socket Only for 3" post .
- LO - V760 Large Flange and lid 8-1/2" O.D.



LO-V751 LO-V752 LO-V754 LO-V737S

### One Piece Floor Sockets for Solid Floors

- LO - V740 Floor Socket for 1-7/8" post .
- LO - V742 Floor Socket for 2-3/8" post .
- LO - V743 One piece floor socket replacement lid only .

### Floor Hooks

- LO - H-780 Flange/lid, and hook for gymnastics .
- LO - H-780 - H Floor Hook Only .

### Floor Socket Adapters

- LO - V723A Adapter for 1-7/8" pole in 2-3/8" socket
- LO - V723A1 Adapter for 2-3/8" pole in 3" socket
- LO - V723A2 Adapter for 1-7/8" pole in 3" socket



LO - H-780


LO - V740  
1- 7/8"

LO - V742  
2- 3/8"

## Above Ground Floor Sockets

For use on second floor gyms or where conventional floor drilling and socket installation is not permitted . The threaded floor plate installed on to the floor by drilling a 1-1/2" dia. hole 4" deep, top 4" dia. Plate must get counter-sunk below floor surface, above ground floor socket then attaches to floor plate by means of knobs (supplied) . Socket then supports Volleyball/Badminton post. Floor socket has a red powder coated finish, and three non-marking rubber floor protectors .

- LO - AGS1 Above ground Socket for 1-7/8" post .
- LO - AGS2 Above ground Socket for 2-3/8" post .
- LO - AGS3 Above ground Socket for 3" post .
- LO - RK Replacement Knob .



LO - TFP  
Threaded Floor Plate

# VOLLEYBALL/ BADMINTON NETS

All Volleyball Nets are 36" wide, and made from 4" mesh. 'Reversible' means net can be used upside down, nets have cable or rope headliners. Dowels are inserted into the end edge of the nets.


## Game Nets.

- LO- VN750** Olympic Model, 32' reversible, cable, complete with dowels Braided nylon .
- LO- VN750/30** same as above only 30' long .
- LO- SPVB1010** Master Net, 32' long with extra long cable, reversible, fiberglass dowels .
- LO- VN8080** Tournament Model 32', reversible, cable, taped all around 2.5mm PE
- LO- VN524** Tournament Model 32', reversible, rope, taped all around 2.5mm PE
- LO- 185A** Beach Model. 32' net, coloured tapes, top rope, 2.5mm PE

## Class Nets, Institutional Model .

VN75 Models widely used by schools throughout Canada, made from 2mm PE with top rope, reinforced tapes, corners and grommets .

- LO- VN75/36** Institutional Model 36' long .
- LO- VN75/32** Institutional Model 32' long .
- LO- VN75/30** Institutional Model 30' long .
- LO- VN75/27** Institutional Model 27' long .
- LO- VN75/25** Institutional Model 25' long .
- LO- VN75/22** Institutional Model 22' long .
- LO- VN75/20** Institutional Model 20' long .
- LO- VNA1** Pair of antennas, official 72" fiberglass 1piece.
- LO- VNAV** Pair of Velcro tape attachments for above with pockets .
- LO- VNAA** Pair of rubber attachments for VNA1



## Badminton Nets



- LO- BN250** Championship net, best on the market, heavy duty knotless nylon, cable top, 20' long x 2- 1/2' wide.
- LO- BN250A** Championship net, best on the market, heavy duty knotless nylon, rope top,

# STORAGE ROOM HOOKS




## **LO-FWH Folding Wall Mounted Storage Hooks.**

These wall mounted storage hooks are ideal for hanging hoops, or any other storage room equipment while able to fold flush against the wall when not in use. Attaches to wall with two wall anchor bolts. Sold each.



## **LO-BH Small Wall Mounted Storage Hooks.**

These wall mounted storage hooks are ideal for hanging equipment or ball bags. Sleek Design allows hook to sit 2" away from wall. Sold per pair.



## **Heavy Duty Wall Mounted Storage Hooks.**

LO-SWH6" Stationary wall hook 6" deep each.

LO-SWH12" Stationary wall hook 12" deep each.

These wall mounted storage hooks are ideal for hanging heavy equipment ie. Hockey goals, volleyball posts, referee stands, pads. Manufactured from 2" x 1/4" thick steel flat bar.

# STORAGE ROOM

## Custom Storage Room Shelving

Heavy Duty shelves maximize your storage room's capacity . Custom manufactured to fit any room . Shown here (right) with three shelves each 24" apart, and enough storage room below last shelf to store bulky ball carriers . Each leg is factory welded for added strength, legs bolt to wall and floor, shelving bolts to arms on each leg . Shelves made from durable 2" x 2" x 3/16" wire mesh with an angle iron border . All steel is primed and painted for a long lasting finish .

Shelves are custom made to any length, height, and shelf width, please call with specific dimensions .



## Custom Lockable Cages/ Partitions

Made as partitions to section off rooms, or with doors to lock spaces . Custom made to close off access to a section of a room, custom cutting around any ceiling obstacle i.e. Lights, pipes, ducts . Doors can be hinged, or sliding to decrease amount of space required to open . Lockable in the closed and open position . All Partitions/Cages made from 2" x 2" x 3/16" wire mesh, with angle iron borders . Door has increased braces for strength .



## Volleyball Post Storage Racks

Steel base with steel sockets welded . Permanently mounts to storage room floor . Custom made to fit any area in storage room . When ordering, please specify the number of posts, and size, 1- 7/8", 2- 3/8" or 3" dia . Installation extra .

**LO- 763R2** Rack for 2 Posts

**LO- 763R4** Rack for 4 Posts

**LO- 763R6** Rack for 6 Posts

**LO- 763R8** Rack for 8 Posts



## Permanent Floor Sockets in Storage Room

Install Sockets sleeves in your storage room for storing volleyball posts, available for storage rooms with limited height where lifting a pole onto a storage rack may be difficult .

Please specify diameter of post .



**LO- V752**  
1- 7/8"

**LO- V754**  
2- 3/8"

**LO- V737- S**  
3"

# TRAMPOLINES

## LO-2000 Mini Trampoline

Adjustable telescopic legs allow angle to be adjusted, constructed from 1 1/4" steel frame 44" square. Bed is manufactured from Nylon sewn together incorporating the metal spring hooks. Bed area is a 24" x 24". Comes with rubber feet to grip and protect floor. Folds for easy storage. Includes steel springs. Padding Extra.

## LO-2001 Mini Trampoline Pads

Constructed from 1" high density Ethafoam. Covered with 18oz. P.V.C. vinyl and has velcro straps for installation. Stock color is blue, other colours are available upon request.



All Trampoline Frames are manufactured right here in Canada by Lolimpin Gym Equipment. These heavy trampolines are constructed for competition and club usage. Each frame is constructed from a heavy wall tubing completely welded and reinforced. 1/4" shaped rod is welded on the inner edge to provide ease of hooking springs, reducing spring vibration and creating a stronger trampoline. All folding trampolines come complete with transports.

- LO - 9050 7'x14'Folding Trampoline Frame.
- LO - 9051 7'x14'Non - Folding Trampoline Frame.
- LO - 9052 6'x12'Folding Trampoline Frame.
- LO - 9053 6'x12'Non - Folding Trampoline Frame.
- LO - 9054 5'x10'Folding Trampoline Frame.
- LO - 9055 5'x10'Non - Folding Trampoline Frame.

All Spring Beds are stitch free and offer great lift, which everyone requires. Recommended for use in competition and clubs where quality and durability are very important. Manufactured in Canada, these beds are lightweight, strong and the most powerful on the market.


- LO - SB100 7'x14'String Bed.
- LO - SB101 6'x12'String Bed.
- LO - SB102 5'x10'String Bed.

Lolimpin Gym frame pads are constructed from 2" foam, covered with 18oz vinyl and sewn together with 100% nylon threads. Velcro attaches these pads to the frames. Blue is stock colour, other colours are available.

- LO - FP200 Frame Pads for 7'x14'
- LO - FP201 Frame Pads for 6'x12'
- LO - FP202 Frame Pads for 5'x10'
- LO - SS101 Steel Springs.
- LO - SS102 Steel Spring for Mini Trampolines.

Landing Pits, for ends of trampolines are custom made to fit every application as shown to the right.

Pictured is 5 non - folding trampolines complete with frame pads, and custom end landing mats with beveled edges. The landing mats are manufactured from two different density foams. Stock color is blue,



# BOXING



**LO- TB72 Target Bag.** 72" high, 7" diameter . Three Reinforced eyes on top . Available in Black, Blue, Red, and White .

**LO- TB48 Target Bag.** 48" high, 7" diameter . Three Reinforced eyes on top . Available in Black, Blue, Red, and White .


**LO- TB36 Target Bag.** 36" high, 7" diameter . Three Reinforced eyes on top . Available in Black, Blue, Red, and White .



**LO-PBG32 Punching Bag.** 32" High, 13 1/2" diameter, four Reinforced eyes on top . Available in Black, Blue, Red, and White .

**LO-PBG42 Punching Bag.** 42" High, 13 1/2" diameter, four Reinforced eyes on top . Available in Black, Blue, Red, and White .

**LO-PBG72 Punching Bag.** 72" High, 13 1/2" diameter, four Reinforced eyes on top . Available in Black, Blue, Red, and White .



**LO-A100 Speed Bag.**

16" Diameter, cowhide leather with a rawhide strap . Fully lined, inner latex bladder.

**LO-A101 Speed Bag Swivel.**

Swivel Bearing attaches to platform and hangs bag.

**LO-A102 Wall Mounted Speed Bag Platform .**

24" diameter 1 1/2" thick plywood, mounted to a metal frame, complete with wall attachment bolts . Recommended to be installed with thru -bolts, right through your wall.



**Punching Bag Stands .**

Units can be manufactured to customers specifications, bags not included . Free Standing unit shown here with bag stand, speed bag platform, and double end bag attachment . Frame has a powder coated white finish . Pre-drilled holes in base for installation .

# BOXING RINGS



Custom Floor Ring. Sits 12" high



Ring with no skirt



2001 Movie Shoot, Toronto, Ontario

Boxing Rings are designed & manufactured by Lolimpin Gym Equipment . Our unique steel beam design, allows any size boxing ring frame to dismantle into 12 pieces . The steel trusses accepts 2"x8" lumber, 3/4" plywood lays over the lumber, foam padding and vinyl or canvas covers finish off the ring . Poles are manufactured from heavy gauge steel tubing, brackets welded to the poles accept the steel beams and hold the platform high . 1-1/4" manila ropes surround the ring, custom rope covers are available . Triangle shaped corner pads are designed to attach to rope corners with Velcro .

All Complete Package Boxing Rings come with everything included

Ready to assemble, includes:

4 corner posts, Frame with cross member holders, Ring Cover, Corner Pads, Foam Padding, Ring Skirt, 3 Metal Ring Stairs, Ring Stands, Ropes and Rope Covers, Cover Tie - Downs, 18 Turnbuckles, All Plywood, and All 2"x8" Cross Members .

**LO- 10001** 16'x16' Boxing Ring Complete 12' inside ropes .

**LO- 10002** 20'x20' Boxing Ring Complete 16' inside ropes .

**LO- 10003** 22'x22' Boxing Ring Complete 18' inside ropes .

**LO- 10004** 24'x24' Boxing Ring Complete 20' inside ropes .


To Save on Shipping charges, you can purchase 2"x8" lumber, and all the plywood from your local lumber yard .

RENTAL SERVICE AVAILABLE! Our Boxing Rings can be rented on a daily, weekly, or monthly basis . Delivery/Set - up and take down charges apply .


Recent Services for: Movie Shoots, Commercials, Promotional Events, Charity/Fund Raising, Scheduled Fights, Kick Boxing, etc ...



2002 Movie Shoot, Montreal, PQ



# BALANCE BEAMS/SCOOTER BOARDS



## LO - BB1202 Practice Low Balance Beam .

12'(3.65m) Long sits 12" high, 4" x 4" steel tubing core with padded top covered with Synthetic Suede. Legs are made from 2" x 2" steel tubing with non-marking rubber floor protectors . Legs are finished with white enamel .

## LO - BB1201 Practice Adjustable Balance Beam .

16'-5" (5m) Long, 4" x 4" steel tubing core with padded top covered with Synthetic Suede. Legs are made from 2" x 2" steel tubing with non-marking rubber floor protectors . Legs have telescoping inserts with locking pins which allow for height adjustment . Legs are finished with white enamel .

**Vaulting Boxes are constructed from 3/4" plywood, screwed and glued together with corner blocks within. Available in three or four sections Comes complete with casters for ease of transportation. Top is 3/4" plywood with an elastic rubber-padding layer, covered with synthetic leather. Top of box is 15" wide x 58" long, box sits 47 1/2" high, and base is 36" wide. Wood is finished with clear gloss lacquer.**



LO - VB1000 - 2 Two Section Vaulting Box.

LO - VB1000 - 3 Three Section Vaulting Box.


LO - VB1000 - 4 Four Section Vaulting Box.

# MISCELLANEOUS

**LO-ES1 Electronic timer & Scoreboard . Rugged timer/Scoreboard, with solid state electronics, colourful LED readout, suitable for most sports .**

**Specifications:**

Input Power	AC110V,50Hz/60Hz
Consuming Power	25 Watts
Viewing Distance	50 meters (55 yards)
Net Weight	6 kg. (13.2lbs)
Dimensions:	24" wide x 16" high x 10" deep .



**LO- SB4188 Flip- Up 21" Scoreboard .**



Back of Scoreboard

- LO- SB12** Scooter Boards . 12" x 12" Manufactured from 3/4" ply wood with router edges, sealed and finished with clear gloss lacquer . Includes 4 non - marking casters .
- LO- SB15** Scooter Boards . 15" x 15" Manufactured from 3/4" ply wood with router edges, sealed and finished with clear gloss lacquer . Includes 4 non - marking casters .
- LO- SB16** Scooter Boards . 12" x 16" Manufactured from 3/4" ply wood with router edges, sealed and finished with clear gloss lacquer . Includes 4 non - marking casters .



- LO- PS6** Plastic Scooter Board . 16"x12" molded plastic with handles, round wheels, yellow or blue .
- LO- PS4** Plastic Scooter Board . 12"x12" Molded plastic, round wheels, yellow or blue .
- LO- WS782** Scooter board hockey set, 6 red, 6 yellow short plastic sticks and one foam ball .



# CONDITIONS OF SALE

## **WARRANTY:**

We will guarantee to repair or replace any one of our items that becomes defective in workmanship or material, when subject to fair and intended treatment, up to one year from invoice date. Items returned must be pre-paid to us. Coverage includes material and labour for repair or replacement, shipping costs are extra.

## **PRICES:**

Please call for our most recently published price list. Prices exclude; shipping, taxes, duty for crossing borders, or broker fees.

## **CANCELLATIONS OF ORDERS:**

No orders can be cancelled without prior approval. Cancelled orders are subject to payment of costs incurred up to the cancellation date. These costs may include overhead and storage costs.

## **TAXES:**

Applicable taxes will be added to the sale.

## **PACKAGING:**

Packaging included for most domestic locations, if shipping internationally, a 5% surcharge of listed price will be included for crating. No allowance will be given for the omission of standard packaging.

## **SUBSTITUTIONS:**

We reserve the right to change items with -in this catalogue to one of equal or higher specifications. Items may not be shipped exactly as pictured, constant R&D may slightly change to overall look of an item.

## **TERMS**

All sales are pre-payment terms, or C.O.D.. For customers without prior account status. Customers with accounts are subject to a net 30 days terms. 1 1/2% will be added on invoices after 30days, and invoices over 60 days will result a demotion of terms for your account.

## **SHIPPING INSTRUCTION:**

Specific truck routing should accompany each order and will be followed if possible or practical. If shipping method is not specified, the most economic and safe method will be chosen. It is the responsibility of the receiver to inspect and report all damages of equipment to the shipping company. Lolimpin Gym can not be held responsible for the damaged merchandise once the shipper has a signature of the way bill stating equipment was received in good conditions. Damages and shortages must be written on the way bill before signing.

## **CLAIMS:**

Customers must notify us within 5 business days of shortages or damages to packages. A shipping company representative may be required to view merchandise.

## **RETURN POLICY:**

Only stock items can be returned, customization of any item renders it un-returnable. Authorization must be received before returning items. Items must return by prepaid shipping, collect shipments will not be accepted. A restocking charge of 25% will be charged.